SEQUENCE LISTING

<110> Carlsberg Research Center

<120> AFFINITY FISHING FOR LIGANDS AND PROTEIN RECEPTORS

<130> P 782 PC00

<160> 64

<170> PatentIn version 3.1

<210> 1
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide Spacer

<400> 1

Gly Pro Pro Phe Pro Phe
1   5

<210> 2
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide Spacer

<400> 2

Ala Pro Arg Pro Pro Arg Ala
1   5

<210> 3
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pip

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa is Pal

1

```
<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is Pya


<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  Xaa is Pip


<400>  3

Xaa Xaa Xaa Phe Xaa Xaa
1               5


<210>  4
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is Pya


<220>
<221>  MISC_FEATURE
<222>  (2)..(3)
<223>  Xaa is Hyp


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is Acm


<400>  4

Xaa Xaa Xaa Phe Xaa Tyr
1               5


<210>  5
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
```

<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pya

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Gua

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pip

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Acc

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Pip

<400> 5

Xaa Xaa Xaa Xaa Phe Xaa
1   5

<210> 6
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Aze

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Aze

```
<400>  6

Phe Xaa Gly His Gly Xaa
1                   5


<210>  7
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa  is Pya


<220>
<221>  MISC_FEATURE
<222>  (4)..(4)
<223>  Xaa  is Pip


<400>  7

Phe Thr Xaa Xaa Asp His
1                   5


<210>  8
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa  is Ppy


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa  is Acc


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa  is Ppy
```

```
<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  Xaa  is Hpy


<400>  8

Phe Xaa Xaa Ala Xaa Xaa
1               5


<210>  9
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa is Abi


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is Pal


<220>
<221>  MISC_FEATURE
<222>  (4)..(4)
<223>  Xaa is Hyp


<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  Xaa is Hyp


<400>  9

Phe Xaa Xaa Xaa Thr Xaa
1               5


<210>  10
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library
```

```
<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa is Gua


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is Pal


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is Gua


<400>  10

Phe Xaa Xaa Tyr Xaa Tyr
1               5


<210>  11
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Peptide

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is Pal


<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa is Abi


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is Abi


<400>  11

Xaa Xaa Gly Gly Xaa His
1               5


<210>  12
<211>  6
```

```
<212>   PRT
<213>   Artificial Sequence

<220>
<223>   Binding ligand from peptide library

<220>
<221>   MISC_FEATURE
<222>   (1)..(1)
<223>   Xaa is Abi


<220>
<221>   MISC_FEATURE
<222>   (3)..(4)
<223>   Xaa is Hyp


<220>
<221>   MISC_FEATURE
<222>   (6)..(6)
<223>   Xaa is unknown


<400>   12

Xaa Thr Xaa Xaa His Xaa
1                   5


<210>   13
<211>   6
<212>   PRT
<213>   Artificial Sequence

<220>
<223>   Binding ligand from peptide library

<220>
<221>   MISC_FEATURE
<222>   (1)..(1)
<223>   Xaa is Pya


<220>
<221>   MISC_FEATURE
<222>   (2)..(2)
<223>   Xaa is Gua


<220>
<221>   MISC_FEATURE
<222>   (3)..(3)
<223>   Xaa is Abi


<220>
<221>   MISC_FEATURE
```

```
<222>  (5)..(5)
<223>  Xaa is Abr


<400>  13

Xaa Xaa Xaa Asp Xaa Tyr
1               5


<210>  14
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is Abi


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is Abi


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is Che


<400>  14

Xaa Phe Xaa Phe Xaa Tyr
1               5


<210>  15
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  15
```

```
Xaa Phe Asn His Ser
1               5


<210>  16
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  16

Xaa Phe Ala Leu Val
1               5


<210>  17
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  17

Xaa Phe Gly Ile Trp
1               5


<210>  18
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)
```

```
<400>  18

Xaa Phe Gly Ile Met
1               5


<210>  19
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  19

Xaa Gly Val Phe Leu
1               5


<210>  20
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  20

Xaa Tyr Ser Met Pro
1               5


<210>  21
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)
```

```
<400>  21

Xaa Leu Ser Trp Trp
1               5


<210>  22
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  22

Xaa His Trp His Ile
1               5


<210>  23
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  23

Xaa His Trp Val Val
1               5


<210>  24
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
```

```
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  24

Xaa His Leu Gly Tyr
1                   5


<210>  25
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  25

Xaa Ile Tyr Leu Phe
1               5


<210>  26
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  26

Xaa Phe Gly Leu Met
1               5


<210>  27
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library
```

```
<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  27

Xaa Trp Val Asn Met
1               5


<210>  28
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  28

Xaa Met Val Asn Trp
1               5


<210>  29
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  29

Xaa His Ile Gly Tyr
1               5


<210>  30
<211>  5
<212>  PRT
<213>  Artificial Sequence

<220>
```

<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)

<400> 30

Xaa Leu Tyr Leu Phe
1   5

<210> 31
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)

<400> 31

Xaa His Trp His Leu
1   5

<210> 32
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Binding ligand from peptide library

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)

<400> 32

Xaa Phe Val Trp His
1   5

<210> 33
<211> 5
<212> PRT
<213> Artificial Sequence

```
<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  33                                          (

Xaa Leu Tyr Ile Phe
1               5


<210>  34
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is ManS


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is ManS


<400>  34

Xaa Gly Xaa Asp Asn Ala
1               5


<210>  35
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is ManS


<220>
<221>  MISC_FEATURE
```

```
<222>  (3)..(3)
<223>  Xaa is GlcNN


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is ManS


<400>  35

Xaa Gly Xaa Asn Xaa Tyr
1               5


<210>  36
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is ManN


<400>  36

Xaa Phe Trp Ser Lys His
1               5


<210>  37
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is GlcNN


<400>  37

Xaa Trp Phe Asp Trp Pro
1               5


<210>  38
<211>  6
```

```
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is GlcNN


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is GlcNN


<220>
<221>  MISC_FEATURE
<222>  (5)..(5)
<223>  Xaa is ManS


<400>  38

Xaa Val Xaa His Xaa Gly
1                   5


<210>  39
<211>  6
<212>  PRT
<213>  Artificial Sequence

<220>
<223>  Binding ligand from peptide library

<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is ManN


<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa is ManS


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is ManN


<400>  39
```

Xaa Xaa Xaa Trp Ser Trp
1   5

<210>   40
<211>   6
<212>   PRT
<213>   Artificial Sequence

<220>
<223>   Binding ligand from peptide library

<400>   40

Gly Pro Lys Lys Tyr His
1   5

<210>   41
<211>   6
<212>   PRT
<213>   Artificial Sequence

<220>
<223>   Binding ligand from peptide library

<400>   41

His Thr Trp Gly Tyr Trp
1   5

<210>   42

<400>   42

000

<210>   43

<400>   43

000

<210>   44
<211>   6
<212>   PRT
<213>   Artificial

<220>
<221>   MISC_FEATURE
<223>   Binding ligand

<400>   44

Gly Pro Lys Lys Tyr His

1   5

<210>   45
<211>   6
<212>   PRT
<213>   Artificial

<220>
<221>   MISC_FEATURE
<223>   Binding ligand

<400>   45

His Thr Trp Gly Tyr Trp
1   5

<210>   46
<211>   6
<212>   PRT
<213>   Artificial

<220>
<221>   MISC_FEATURE
<223>   Binding ligand

<400>   46

Phe Thr Tyr Phe Ala Lys
1   5

<210>   47

<400>   47

000

<210>   48

<400>   48

000

<210>   49

<400>   49

000

<210>   50

<400> 50

000

<210> 51
<211> 6
<212> PRT
<213> Artificial sequence

<220>
<223> Binding ligand from peptide library

<400> 51

Phe Thr Tyr Phe Ala Lys
1   5

<210> 52

<400> 52

000

<210> 53

<400> 53

000

<210> 54

<400> 54

000

<210> 55

<400> 55

000

<210> 56

<400> 56

000

<210> 57
<211> 6
<212> PRT
<213> Artificial

```
<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (3)..(3)
<223>  Xaa is Hyp


<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  Xaa is Gua


<400>  57

Lys Met Xaa Trp Tyr Xaa
1                   5


<210>  58
<211>  6
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (4)..(4)
<223>  Xaa is Gua


<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  Xaa is Gua


<400>  58

Phe Asp Trp Xaa Thr Xaa
1                   5


<210>  59
<211>  5
<212>  PRT
<213>  Artificial

<220>
```

```
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  59

Xaa Tyr Gly Ala Met
1                5


<210>  60
<211>  5
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  60

Xaa Ser Val Trp Phe
1                5


<210>  61
<211>  5
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  61

Xaa His Tyr Phe Phe
1                5
```

```
<210>  62
<211>  5
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  62

Xaa Ile Tyr Tyr Phe
1               5


<210>  63
<211>  5
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
<222>  (1)..(1)
<223>  Xaa is T(Sa)


<400>  63

Xaa Gln Pro Gly Met
1               5


<210>  64
<211>  5
<212>  PRT
<213>  Artificial

<220>
<221>  MISC_FEATURE
<223>  Binding ligand


<220>
<221>  MISC_FEATURE
```

<222> (1)..(1)
<223> Xaa is T(Sa)

<400> 64

Xaa Gly Pro His Gly
1   5